EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	(Hyun near3 Jeong near3 Kim) and (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 10:34
L7	4	(455/412.1.ccls. 455/313.ccls. 455/466.ccls. 455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 10:46
S1	0	confirm$5 near12 (sms short adj messag$3 text adj messag$4) near12 ((base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$5 power) adj3 (sav$5 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 00:56
S2	0	confirm$5 near12 (sms short adj messag$3 text adj messag$4) near12 (bs (base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$5 power) adj3 (sav$5 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 00:58
S3	10	confirm$5 near22 (sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle	US-PGPUB; USPAT; USOCR; FPRS;	OR	OFF	2011/09/02 00:59

		inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv6 reduc$3 reduction))))	EPO; JPO; DERWENT; IBM_TDB			
S4	10	confirm$5 near22 (sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:00
S5	16	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:00
S6	4	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:02
S7	6	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:07
S8	6	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:15
S9	6	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2011/09/02 01:29

			DBs	Default Operator	Plurals	Time Stamp
		standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	IBM_TDB			
S10	20	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:31
S11	23	(inform$3 notify$3 notifi$5 alert$4 know$2) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:37
S20	10	(burst messag$4) adj7 (sms (short text) adj messag$4) same (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 05:25

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	(Hyun near3 Jeong near3 Kim) and (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:34
L6	1	(Hyun near3 Jeong near3 Kim) and (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:35

		inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))				
L8	4	(455/412.1.ccls. 455/313.ccls. 455/466.ccls. 455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:46
S12	0	confirm$5 near12 (sms short adj messag$3 text adj messag$4) near12 ((base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$5 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$5 power) adj3 (sav$5 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 00:56
S13	0	confirm$5 near12 (sms short adj messag$3 text adj messag$4) near12 (bs (base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat$5 in-operat$5 inactiv$5 in-activ$5 sav$5 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$5 power) adj3 (sav$5 conserv$6 reduc$3 reduction)))) and @ad< "19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 00:57
S14	8	confirm$5 near22 (sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 00:59
S15	12	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:00
S16	2	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:02

		idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"				
S17	3	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:07
S18	3	confirm$5 near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:29
S19	20	(inform$3 notify$3 notifi$5 alert$4 know$2) near22 (burst sms short adj messag$3 text adj messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:37
S21	10	(burst messag$4) adj7 (sms (short text) adj messag$4) same (inform$3 notify$3 notifi$5 alert$4 know$2 confirm$5) near22 (burst messag$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat$4 in-operat$4 inactiv$4 in-activ$4 sav$4 standby stand-by suspend$3 sleep$3) adj (mode state)) idle lull sleep slept (wait$3 near1 call) ((batter$4 power) adj3 (sav$3 conserv$6 reduc$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 05:25

9/ 2/ 2011 10:48:29 AM
C:\ Users\ nly\ Documents\ EAST\ Workspaces\ 09734852.wsp